

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S187	1	"20020083318"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/29 07:35
S188	1	"20020114470"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:33
S189	1	"20020141575"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:33
S190	3116	(380/277 OR 380/270 OR 380/44 OR 380/201).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:43
S191	1047	(713/164 OR 713/155). ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:39
S192	1000	(726/26).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:39
S193	1	"20020150243"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:41
S194	1	"20020157002"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:41
S196	1	"5892900".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:55
S208	1	10/696495	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 08:17
S210	1	10/696495 AND (secure ADJ processing ADJ point)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 08:19
S211	1	10/696495 AND (secure ADJ processing ADJ point) WITH (chip ADJ identifier)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 10:32
S212	1	10/696495 AND "155"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 08:23
S213	0	10/696495 AND (processor)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 10:33
S214	1	10/696495 AND (microprocessor)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 10:33

S215	9	"20020157002" OR "20020150243" OR "20020141575" OR "20020114470" OR "20020083318" OR ("2002/0083318").URPN. OR "20020147920"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/03 18:00
S216	15	"20020157002" OR "20020150243" OR "20020141575" OR "20020114470" OR "20020083318" OR ("2002/0083318").URPN. OR "20020147920"	US-PGPUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:00
S217	1	"2002157002"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:12
S218	2	"2002157002"	US-PGPUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:22
S219	2	"5892900".pn.	US-PGPUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:25
S220	1	"5892900".pn. AND (SPU OR "Secure Processing Unit")	US-PGPUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:28
S221	1	"5892900".pn. AND (SPU OR "Secure Processing Unit") SAME PPE	US-PGPUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:32
S222	1	"5892900".pn. AND (SPU OR "Secure Processing Unit") SAME PPE SAME management	US-PGPUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:35

S223	1	"5892900".pn. AND (PDA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:36
S224	1	"5892900".pn. AND (PDA or "personal device" OR wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:39
S225	1	"5892900".pn. AND (database with PPE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:39
S230	2	"5,892,900".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:10
S232	1	"5,892,900".pn. AND (chip )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:51
S234	2	"6,987,853".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:22
S235	0	"20050091524n."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:23
S236	2	"20050091524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:24

S237	3	"20040103238"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:24
S238	674	( "3573747"   "3609697"   "3796830"   "3798359"   "3798360"   "3798605"   "3806882"   "3829833"   "3906448"   "3911397"   "3924065"   "3931504"   "3946220"   "3956615"   "3958081"   "3970992"   "4048619"   "4071911"   "4112421"   "4120030"   "4163280"   "4168396"   "4196310"   "4200913"   "4209787"   "4217588"   "4220991"   "4232193"   "4232317"   "4236217"   "4253157"   "4262329"   "4265371"   "4270182"   "4278837"   "4305131"   "4306289"   "4309569"   "4319079"   "4323921"   "4328544"   "4337483"   "4361877"   "4375579"   "4433207"   "4434464"   "4442486"   "4446519"   "4454594"   "4458315"   "4462076"   "4462078"   "4465901"   "4471163"   "4484217"   "4494156"   "4513174"   "4528588"   "4528643"   "4553252"   "4558176"   "4558413"   "4562306"   "4562495"   "4577289"   "4584641"   "4588991"   "4589064"   "4593353"   "4593376"   "4595950"   "4597058"   "4622222"   "4634807"   "4644493"   "4646234"   "4652990"   "4658093"   "4670857"   "4672572"   "4677434"   "4680731"   "4683553"   "4685056"   "4688169"   "4691350"   "4696034"   "4701846"   "4712238"   "4713753"   "4727550"   "4740890"   "4747139"   "4757534"   "4757553"   "4768087"   "4791565"   "4796181"   "4798209"   "4799156"   )	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/04 17:07

"4807288"	"4817140"
"4823264"	"4827508"
"4858121"	"4864494"
"4868877"	"4903296"
"4924378"	"4930073"
"4949187"	"4977594"
"4999806"	"5001752"
"5005122"	"5005200"
"5010571"	"5023907"
"5047928"	"5048085"
"5050213"	"5091966"
"5103392"	"5103476"
"5111390".	PN. OR
("5119493"	"5128525"
"5136643"	"5136646"
"5136647"	"5136716"
"5146575"	"5148481"
"5155680"	"5168147"
"5185717"	"5201046"
"5201047"	"5208748"
"5214702"	"5216603"
"5221833"	"5222134"
"5224160"	"5224163"
"5227797"	"5235642"
"5245165"	"5247575"
"5260999"	"5263158"
"5265164"	"5276735"
"5280479"	"5285494"
"5301231"	"5311591"
"5319705"	"5337360"
"5341429"	"5343527"
"5347579"	"5351293"
"5355474"	"5373561"
"5390247"	"5390330"
"5392220"	"5392390"
"5394469"	"5410598"
"5412717"	"5421006"
"5422953"	"5428606"
"5438508"	"5442645"
"5444779"	"5449895"
"5449896"	"5450493"
"5453601"	"5453605"
"5455407"	"5455861"
"5455953"	"5457746"
"5463565"	"5473687"
"5473692"	"5479509"
"5485622"	"5491800"
"5497479"	"5497491"
"5499298"	"5504757"
"5504818"	"5504837"
"5508913"	"5509070"
"5513261"	"5530235"
"5530752"	"5533123"
"5534975"	"5537526"
"5539735"	"5539828"
"5550971"	"5553282"
"5557518"	"5563946"

		"5568552"   "5572673" "5592549"   "5606609" "5613004"   "5621797" "5629980"   "5633932" "5634012"   "5636292" "5638443"   "5638504" "5640546"   "5655077" "5687236"   "5689587" "5692180"   "5710834" "5740549"   "5745604" "5748763"   "5748783" "5748960"   "5754849" "5757914"   "5758152" "5765152"   "5768426"). PN. OR ("5892900").URPN.				
S239	6	S238 AND (chip SAME ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/04 17:24
S240	0	"2002157002"	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/04 17:24
S241	2	"2002157002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:24
S242	2	"2002157002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:30
S243	463	chip NEAR identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:30
S244	130	(chip NEAR identifier) NEARS (device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:38
S245	3	secure SAME (chip NEAR identifier) NEARS (device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:36

S247	5	secure SAME (chip NEAR identifier) SAME(device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:36
S248	2648	(cryptographic NEAR key) SAME (device OR PDA or wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:39
S249	5	S248 AND S244	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:42
S254	1	"5,892,900".pn. AND (identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:02
S255	2	"2002114470"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:02
S256	2	"2002141575"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:03
S257	0	"2002/141575"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:03
S258	2	"2002150243"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:29

S259	0	(personal NEAR device) WITH manufacturere	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:29
S260	0	(personal NEAR device) WITH manufacturer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:30
S261	0	(personal NEAR device) WITH manufacturer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:30
S263	7	(personal NEAR device) WITH manufacturer SAME key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:46
S265	19	"5,892,900" AND (manufactur\$ NEAR key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:13
S266	19	"5,892,900" AND (manufactur\$ NEAR key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 08:50
S267	13	"5,892,900" AND (manufactur\$ NEAR key) SAME ID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 08:50
S268	16	"5,892,900" AND (manufactur\$ NEAR key) SAME (ID or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 08:54



S269	430	(retriev\$4 OR read\$4) NEAR5 (chip NEAR2 ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 08:56
S270	139	(retriev\$4 OR read\$4) NEAR5 (chip NEAR2 ID) SAME process\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:04
S272	6553	(380/277 OR 380/270 OR 380/44 OR 380/201 OR 380/247 OR 713/164 OR 713/155 OR 713/194 OR 726/26).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:07
S274	1	"5,892,900".pn. AND (SPU WITH PPE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:09
S275	1	"5,892,900".pn. AND (PPE NEAR4 secure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:10
S276	3	"5,892,900" AND (chip NEAR10 ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:13
S280	1	"5,892,900".pn. AND (identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:16
S281	1	"5,892,900".pn. AND (personal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:23

S282	6	key NEAR mangement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:23
S284	376	(key NEAR management) NEAR2 cryptographic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:23
S285	104	(key NEAR management) NEAR2 cryptographic SAME (device OR PDA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:24
S286	24	S285 AND S272	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:24
S289	1	10/541860	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:32
S291	2	"6269395".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:24
S292	14	("5689638"   "5875296"   "6092196"   "6115040"   "6205480").PN. OR ("6269395").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 10:40
S293	1	11/525152	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:25
S294	1	10/186222	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:25
S295	2	10/051249	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:27
S296	1	(data NEAR5 chip NEAR10 (public NEAR database)). cm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:35

S298	45	((retriev\$4 OR restor\$4 OR receiv\$4 OR fetch\$4) NEAR5 (identifier)).clm"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:39
S300	15	((retriev\$4 OR restor\$4 OR receiv\$4 OR fetch\$4) NEAR5 (identifier)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:41
S301	10	((retriev\$4 OR restor\$4 OR receiv\$4 OR fetch\$4) NEAR5 (chip NEAR ID)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:49
S302	452	chip NEAR identifier	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:49
S303	116	(chip NEAR identifier) NEAR4 device	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:55
S307	16	tamper-resistant NEAR4 chip NEAR5 device	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:00
S308	3	key NEAR3 DRM NEAR5 SIM	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:04
S309	1	"5892900".pn. AND chip	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:05
S310	0	"5892900".pn. AND (chip NEAR identifier)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:05
S311	1	"5892900".pn. AND (identifier)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:07
S313	71	(chip NEAR identifier) NEAR5 read	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:11
S315	30	(assign\$4 OR stor\$4) NEAR2 key NEAR4 (PDA)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 06:47
S317	1	"20040146163" AND certificate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 07:01

S318	0	"20020150243" AND certificate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 07:45
S321	1	"20020157002" AND (identifier NEAR2 communication)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 13:41
S322	1	"20020150243" and (digital NEAR signature)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:36
S325	2	"20020150243" and (client NEAR device)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/11/29 18:17
S326	1	"20020157002" and (symmetric)	US-PGPUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 06:56
S336	1	(personal near2 device) same (cryptographic) same (identified OR ID) same (ROM OR read\$only) same secure	US-PGPUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 12:00
S337	0	(personal near2 device) same (cryptographic) same (identified OR ID) same (ROM OR read\$only) same secure same (divid \$4 OR split\$5 OR separat \$4)	US-PGPUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 11:57
S338	0	(PDA OR device) same (cryptographic) same (identifier OR ID ) same (ROM OR read\$only) same secure same (divid\$4 OR split\$5 OR separat\$4) same (key PIN) SAME (memory OR database) same (resitant)	US-PGPUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 12:00
S339	0	(PDA OR device) same (cryptographic) same (identifier OR ID ) same (ROM OR read\$only) same secure same (divid\$4 OR split\$5 OR separat\$4) same (key PIN) SAME (memory OR database) same (tamper)	US-PGPUB; USPAT; USOCR; FRRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 12:10

S340	0	(PDA OR device) same (cryptographic) same (identifier OR ID) same (ROM OR read\$only) same secure same (divid\$4 OR split\$5 OR seperat\$4) same (key PIN) SAME (memory OR database) same (tamper\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 12:10
S341	3	(PDA OR device) same (cryptographic) same (identifier OR ID) same (ROM OR read\$only) same secure same (key PIN) SAME (memory OR database) same (tamper \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:57
S344	0	(Nokia near2 corporation) and (retriev\$4 OR restor\$4 OR bring\$4) and (process \$4 near3 (seperat\$4 OR divid\$4 OR split\$5)) with (device OR PDA) and (identifier) and (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:08
S345	19	(retriev\$4 OR restor\$4 OR bring\$4) and (process\$4 near3 (seperat\$4 OR divid \$4 OR split\$5)) with (device OR PDA) and (identifier) and (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:35
S346	33	(retriev\$4 OR restor\$4 OR bring\$4) and (process\$4 near3 (seperat\$4 OR divid \$4 OR split\$5)) with (device OR PDA) and (ID OR identifier) and (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 20:09
S347	0	Nokia.as. and (retriev\$4 OR restor\$4 OR bring\$4) and (process\$4 near3 (seperat\$4 OR divid\$4 OR split\$5)) with (device OR PDA) and (ID OR identifier) and (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:29

S348	0	Nokia.as. and (retriev\$4 OR restor\$4 OR bring\$4) and (process\$4 near3 (seperat\$4 OR divid\$4 OR split\$5)) and (device OR PDA) and (ID OR identifier) and (read OR ROM) and (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:31
S349	76	((asokan near3 nadarajah).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 20:07
S350	76	((asokan near3 nadarajah).in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 20:50
S351	50	((valtteri near3 niemi).in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:33
S352	1	((retriev\$4 OR restor\$4 OR bring\$4) SAME (process\$4 near3 (seperat\$4 OR divid\$4 OR split\$5)) with (device OR PDA) and (identifier) and (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 17:42
S353	2	"20060129830"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 17:46
S354	2	"20060259790"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 17:46
S355	2	"20040101141"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 18:01

S356	2	"20070124409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 18:10
S357	2	"5892900".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 18:14
S362	408	(secure near2 process\$4) same (cryptographic near2 key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 19:23
S363	110	(secure near2 process\$4) same (cryptographic near2 key) same (PDA OR device Or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 19:25
S364	35	S363 and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 19:26
S365	0	(Nokia.as.) and (retriev\$4 OR restor\$4 OR bring\$4) and (process\$4 near3 (seperat\$4 OR divid\$4 OR split\$5)) with (device OR PDA) and (ID OR identifier) and (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 20:11
S366	0	(Nokia near2 corporation) and (retriev\$4 OR restor\$4 OR bring\$4) and (process \$4 near3 (seperat\$4 OR divid\$4 OR split\$5)) with (device OR PDA) and (ID OR identifier) and (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 20:16
S367	13	(Nokia near2 corporation) and (secure adj process \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 20:22

S368	81	(Nokia near2 corporation) and ((secure near2 process \$4) OR (cryptographic near2 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 20:24
S369	3	(Nokia near2 corporation) and ((secure near2 process \$4) WITH (cryptographic near2 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 20:24
S370	5	(Nokia) and ((secure near2 process\$4) WITH (cryptographic near2 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 20:25
S371	76	(asokan near3 nadarajah).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 20:50
S372	7174	(380/30 OR 380/44 OR 380/201 OR 380/247 OR 380/255 OR 380/259-260 OR 380/264 OR 380/270 OR 380/273 OR 380/277-286).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 15:09
S373	6787	(713/150 OR 713/155-157 OR 713/164 OR 713/168-171 OR 713/175 OR 713/194).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 15:16
S374	4785	(726/4 OR 726/10 OR 726/20-21 OR 726/26-29).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 15:17
S376	16359	S372 OR S373 OR S374	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 15:17



S377	16359	S372 OR S373 OR S374	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 15:27
S378	0	(Nokia.as.) and (retriev\$4 OR restor\$4 OR bring\$4) and (process\$4 near3 (seperat\$4 OR divid\$4 OR split\$5)) with (device OR PDA) and (ID OR identifier) and (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 15:56
S379	76	(asokan near3 nadarajah).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 15:24
S380	50	((valteri near3 niemi).in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 15:24
S381	0	(ASOKAN near3 NADARAJAH).in. and (retriev\$4 OR restor\$4 OR bring\$4) and (process\$4 near3 (seperat\$4 OR divid\$4 OR split\$5)) with (device OR PDA) and (ID OR identifier) and (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:17
S382	0	(VALTERI near3 NIEMI).in. and (retriev\$4 OR restor\$4 OR bring\$4) and (process\$4 near3 (seperat\$4 OR divid\$4 OR split\$5)) with (device OR PDA) and (ID OR identifier) and (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 15:27
S383	2	(VALTERI near3 NIEMI).in. and (secure near2 process\$4) with (device OR PDA OR mobile OR cell OR (smart near2 card)) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 15:30

S385	2	(ASOKAN near3 NADARAJAH).in. and (secure near2 process\$4) with (device OR PDA OR mobile OR cell OR (smart near2 card)) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 15:30
S386	45	(receiv\$4) with (data information) with (personal OR device OR PDA OR mobile OR cell OR (smart near2 card)) with key with (tamper\$4 OR resistant) same (storage OR (hard near2 disk) OR memory OR database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:13
S387	19	S377 and S386	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 15:37
S388	0	(retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4) with (process\$4 near3 (seperat \$4 OR divid\$4 OR split\$5)) with (device OR PDA) same (ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 16:00
S389	1	(retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4) with (process\$4 WITH (seperat \$4 OR divid\$4 OR split\$5)) with (device OR PDA) same (ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 16:02
S390	102	(retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4) SAME (process\$4 same (seperat \$4 OR divid\$4 OR split\$5)) SAME (device OR PDA) same (ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 16:07

S391	0	S390 and S376	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 16:03
S392	0	(retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4) SAME (process\$4 same (seperat \$4 OR divid\$4 OR split\$5)) SAME (device OR PDA) same(ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit)) and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 16:04
S393	0	(retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4) SAME (process\$4 same (seperat \$4 OR divid\$4 OR split\$5)) SAME (device OR PDA) same(ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit)) and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 16:05
S395	117	(retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4) SAME (process\$4 same (seperat \$4 OR divid\$4 OR split\$5)) SAME (device OR PDA OR mobile OR cell) same(ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 16:07
S396	0	(retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4) SAME (process\$4 same (seperat \$4 OR divid\$4 OR split\$5)) SAME (device OR PDA OR mobile OR cell) same(ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit)) and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:43

S397	6	(retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4 OR receiv \$4) SAME ( secure ) SAME (device OR PDA OR mobile OR cell) same(ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit)) and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 16:09
S398	47	(receiv\$4) with (data information) with (personal OR device OR PDA OR mobile OR cell OR (smart near2 card)) with key with (tamper\$4 OR resistant) same (storage OR (hard near2 disk) OR memory OR database OR RAM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:14
S399	13	(receiv\$4) with (data information) with (personal OR device OR PDA OR mobile OR cell OR (smart near2 card)) with key with (tamper\$4 OR resistant) same (storage OR (hard near2 disk) OR memory OR database OR RAM) and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 19:31
S400	98	(stor\$4 near2 backup) with (data with (ID OR identifier) same (database OR memory OR RAM OR hard\$disk OR storage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:19
S401	15	(stor\$4 near2 backup) with (data with (ID OR identifier) same (database OR memory OR RAM OR hard\$disk OR storage)) and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:31
S402	0	((secure near2 process\$4) same manufacturer same (private near2 key) same certificate same device same (database OR ROM OR memory OR hard \$disk ))and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:35

S403	5	(stor\$4 with device with certificate with data with identifier same (database OR memory OR storage)) and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:36
S404	286	(retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4) SAME (device OR PDA OR mobile OR cell) same(ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit)) and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:45
S406	0	(retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4) SAME (device OR PDA OR mobile OR cell) same(ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit)) and (secure adj process \$4) and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 19:30
S407	39	(retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4) SAME (device OR PDA OR mobile OR cell) same(ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit)) and (secure) and @rlad <= "20021028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:46
S410	4264	(key near5 (manag\$4 OR management)) with (personal OR device OR PDA or mobile or cell)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:47
S411	0	(key near5 (manag\$4 OR management)) with (personal OR device OR PDA or mobile or cell) same (secure adj process \$4) same (ID OR identifier) same (storage OR ROM OR read) same (IC or (integrated near circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/01 18:58

S412	1	((retriev\$4 OR restor\$4 OR bring\$4 OR read\$4 OR get \$4 OR fetch\$4) SAME (device OR PDA OR mobile OR cell) same(ID OR identifier) SAME (read OR ROM) same (IC OR (integrated adj circuit)) and (secure adj process \$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 19:30
S413	14	((receiv\$4) with (data information) with (personal OR device OR PDA OR mobile OR cell OR (smart near2 card)) with key with (tamper\$4 OR resistant) same (storage OR (hard near2 disk) OR memory OR database OR RAM)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 19:32
S414	15	(unique near2 (identifier OR ID) with backup same (storage OR (hard near2 disk) OR memory OR database OR RAM)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 19:34
S415	1	S412 and S413 and S414	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 19:33
S416	12	(unique near2 (identifier OR ID OR identity) with (certificate) same (backup OR data OR package) same (storage OR (hard near2 disk) OR memory OR database OR RAM)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 19:35
S417	6	(unique near2 (identifier OR ID OR identity) with (certificate) same (backup OR data OR package) same (storage OR (hard near2 disk) OR memory OR database OR RAM)).clm. and @rlad <= "20031028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 21:04

S419	0	((sign\$4 near2 result) with (manufacturer near4 key) with (read\$only OR ROM OR read) with certificate same (device or PDA or mobile OR cell)).dm. and @r1ad <= "20031028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 21:06
S420	0	((sign\$4 near2 result) with (manufacturer near4 key) with (read\$only OR ROM OR read) with certificate and (device or PDA or mobile OR cell)).dm. and @r1ad <= "20031028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 21:06
S421	1	((sign\$4 near2 result) with (manufacturer near4 key) with (read\$only OR ROM OR read) same certificate same (device or PDA or mobile OR cell)).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 21:07
S422	1	((sign\$4 near2 result) same (manufacturer near4 key) with (read\$only OR ROM OR read) same certificate same (device or PDA or mobile OR cell)).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 21:07
S423	1	((sign\$4 near2 result) same (manufacturer with key) with (read\$only OR ROM OR read) same certificate same (device or PDA or mobile OR cell)).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 21:07
S425	1	(stor\$4 near3 certificate) with (device OR PDA or personal OR mobile or cell) same (identity with identifier same (database OR memory or storage OR hard\$disk)).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:48
S426	1	(stor\$4 near3 certificate) same (device OR PDA or personal OR mobile or cell) same (identity with identifier same (database OR memory or storage OR hard\$disk)).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/02 21:10
S428	274	(remote near2 secure near2 (server OR device OR unit OR point) with (personal OR device OR PDA or cell))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:50

S429	21	(remote near2 secure near2 (server OR device OR unit OR point) with (personal OR device OR PDA or cell)) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:50
S430	1	10/696495	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 12:44
S431	8168	(380/30 OR 380/44 OR 380/201 OR 380/247 OR 380/255 OR 380/259-260 OR 380/264 OR 380/270 OR 380/273 OR 380/277-286).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 12:46
S432	13842	(server) with (PDA or wireless or device) with (ID identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:00
S433	470	(retriev\$4 near4 server) with (PDA or wireless or device) with (ID identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:01
S434	34	(retriev\$4 near4 server) with (PDA or wireless or device) with (ID identifier) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:02
S435	9	(retriev\$4 near4 server) with (PDA or wireless or device) with (ID identifier) with key and S431	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:02
S439	2	"5892900".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:08



S440	1	"5892900".pn. and (master near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:11
S441	2	"5892900".pn. and (stor\$4 with (electronic or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 15:11
S442	1	"5892900".pn. and (stor\$4 with (electronic or device)) same key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 15:36
S443	1	"5892900".pn. and (information or data or package) same key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 15:47
S444	0	"5892900".pn. and (temper \$5 with key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 16:14
S445	1	"5892900".pn. and (tamper \$5 with key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 16:14
S446	0	"5892900".pn. and (retriev \$5 or receiv\$5) near6 (ID or identifier) with (device PDA portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 16:29
S447	11	(retriev\$4 near3 identifier) with (ROM or read\$1only) with (PDA device portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 16:31

S448	3874	(retriev\$ with (ID chip near identifier serial) with (device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 16:34
S449	2985	(retriev\$ with (ID chip near identifier ) with (device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 16:35
S450	26	(retriev\$ with (ID chip near identifier ) with ROM with (device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 16:37
S451	0	"20041003911"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/09/10 14:16
S452	1	"7340055".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/09/10 14:16
S453	1	"7337332".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/09/10 14:17
S454	16	(retriev\$4 receiv\$4) with (cell\$6) with (ID or identifier) same backup	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/09/10 14:25
S455	2	"7337332".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 14:53
S456	2	"7340005".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 14:53
S457	1	"20040039911"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/09/10 15:23

9/ 10/ 2008 7:14:10 PM

H:\cle2\Real-Case\case1-Sep-05-06-10696495-Device-key\10-696495.wsp